

Report No

## **Test Report**

SAMPLE NOT DRAWN BY SGS INDIA PVT. LTD.

Print Date : 13/07/2017 JOE No : CG17-012515

Report Control No : CGR0000744401

Sample described by customer as : BARYTES POWDER

Customer Name : ELITE MINERALS

Customer Address : 1/707-4, DWARAKA NAGAR,

: CG17-012515.001

: YERRAMUKKA PALLI KADAPA.

City : KADAPA Postal Code : 516004

State : ANDHRA PRADESH

Country : INDIA

Sample Type : BARYTES POWDER

 Received
 : 07/07/2017

 Sample Qty. Recd.
 : 750G

 Test Start
 : 07/07/2017

 Test End Date
 : 13/07/2017

Test/Parameter	Method	Result	Unit
Barium sulphate (as BaSO4)	API 13 K Spec 18th Edition	92.55	% (w/w)
Density	API 13A/ISO 13500 : 2009	4.245	g/ml
Water soluble alkaline earth metals, as Ca	API 13A/ISO 13500 : 2009	36	mg/kg
Loss on ignition	API 13K	0.62	% (w/w)
Silica as SiO2	IS 2881 : 1984	2.58	% (w/w)
Iron (as Fe2O3)	API 13K	0.45	% (w/w)
Mecury (as Hg)	API 13I/ISO 10416 : 2008	ND(DL: 0.5)	ppm
Cadmium (as Cd)	API 13I/ISO 10416 : 2008	ND(DL: 0.5)	ppm
Moisture	IS 7588 : 1992	0.03	% (w/w)
Carbonate (as CO3)	IS 7588 : 1992	661	mg/kg
Residue greater than 45µm	API 13A/ISO 13500 : 2009	8.00	% (w/w)
Residue greater than 75µm	API 13A/ISO 13500 : 2009	0.88	% (w/w)

## Page 1 of 2

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgsgroup.in/en-GB/Terms-and-Conditions.aspx for electronic documents www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

For any feedback or complaint please write to us at feedback.mlchennai@sgs.com.

SGS India Pvt. Ltd.

Multi Laboratory, 28 B/1 (SP), 28 B/2 (SP), Ilnd Main Road, Opposite to State Bank of India, Ambattur Industrial Estate, Chennai - 600 058, Tel: 91-44-66081600

Regd & Corp. Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com



: CG17-012515.001

Report No

## Test Report

SAMPLE NOT DRAWN BY SGS INDIA PVT. LTD.

Print Date : 13/07/2017 JOE No : CG17-012515

Report Control No : CGR0000744401

Per pro SGS India Private Ltd

L\_SIVAKUMAR
Authorized Signatory

Fresh

\*\*\*\*End of Report\*\*\*\*

## Page 2 of 2

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgsgroup.in/en-GB/Terms-and-Conditions.aspx for electronic documents www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

For any feedback or complaint please write to us at feedback.mlchennai@sgs.com.

SGS India Pvt. Ltd.

Multi Laboratory, 28 B/1 (SP), 28 B/2 (SP), Ilnd Main Road, Opposite to State Bank of India, Ambattur Industrial Estate, Chennai - 600 058, Tel: 91-44-66081600

Regd & Corp. Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com